Author index

Abath, F.G.C., see Ali, P.O., 215

Ahanotu, E., see Ahanotu, P.A., 131

Ahanotu, P.A., Ahanotu, E., Srinivasan, N.G. and Harris, B.G., Trypsin modification of phosphofructokinase from Ascaris suum, 131 Albrecht, S. and Walter, R.D.,

Hallucinogenic and neuroleptic drug interactions with potential neurotransmitter receptors in parasitic nematodes, 289

Ali, P.O., Jeffs, S.A., Meadows, H.M., Hollyer, T., Owen, C.A., Abath, F.G.C., Allen, R., Hackett, F., Smithers, S.R. and Simpson, A.J.G.,

Structure of Sm25, an antigenic integral membrane glycoprotein of adult Schistosoma mansoni, 215

Allen, R., see Ali, P.O., 215

Amako, K., see Johnston, R.C., 155

Anders, R.F., see Marshall, V.M., 349

Ariztia-Carmona, E.V., see Gajadhar, A.A., 147

Aslund, L., Henriksson, J., Campetella, A., Frasch, A.C.C., Pettersson, U. and Cazzulo, J.J.,

The C-terminal extension of the major cysteine proteinase (cruzipain) from Trypanosoma cruzi (Short communication), 345

Banerji, S., see Sinclair, K., 183

Barr, P.J., Inselburg, J., Green, K.M., Kansopon, J., Hahm, B.K., Gibson, H.L., Lee-Ng, C.T., Bzik, D.J., Li, W. and Bathurst, I.C., Immunogenicity of recombinant Plasmodium falciparum SERA proteins in rodents, 159

Basic, A., see Glaser, T.A., 337

Bathurst, I.C., see Barr, P.J., 159

Bennett, J.L., see Eshete, F., 1

Bienen, E.J., Saric, M., Pollakis, G., Grady, R.W. and Clarkson, Jr.,

Mitochondrial development in Trypanosoma brucei brucei transitional bloodstream forms, 185

Blumenfeld, N., see Zilberstein, D., 175

Bogh, H.O., see Cougle, W.G., 137

Brindley, P.J., see Klion, A.D., 297

Brotman, B., see Lustigman, S., 65

Brun, R., see Durieux, P.O., 19

Bzik, D.J., see Barr, P.J., 159

Campetella, A., see Aslund, L., 345

Capron, A., see Facon, B., 233

Caulagi, V.R., Werner, C. and Rajan, T.V.,

Isolation and partial sequence of a collagen gene from the human filarial parasite Brugia malayi, 57

Cazzulo, J.J., see Aslund, L., 345

Chamekh, M., see Facon, B., 233

Clarkson, Jr., A.B., see Bienen, E.J., 185

Clayton, C., see Fung, K., 261

Coombs, G.H., see Meade, J.C., 349

Coppel, R.L., see Marshall, V.M., 349

Cougle, W.G., Lightowlers, M.W., Bogh, H.O., Rickard, M.D. and Johnson, K.S.,

Molecular cloning of Taenia taeniaeformis oncosphere antigen genes, 137

Courtney, C.H., see Dame, J.B., 275

Dame, J.B., Yowell, C.A., Courtney, C.H. and Lindgren, W.G.,

Cloning and characterization of the ribosomal RNA gene repeat from Ostertagia ostertagi, 275

Deans, J., see Parsons, M., 241

De Vries, E., Stam, J.G., Franssen, F.F.J., van der Vliet, P.C. and Overdulve, J.P.,

Purification and characterization of DNA polymerases from Plasmodium berghei, 223

Dewes, H., see Johnston, R.C., 155

Dissanayake, S., Min, X. and Piessens, W.F.,

Detection of amplified Wuchereria bancrofti DNA in mosquitoes with a nonradioactive probe. 49

Dissous, C., see Facon, B., 233

Dopheide, T.A.A., Tachedjian, M., Phillips, C., Frenkel, M.J., Wagland, B.M. and C.W. Ward, C.W.,

Molecular characterisation of a protective, 11-kDa excretory-secretory protein from the parasitic stages of Trichostrongylus colubriformis, 101

Dubremetz, J.F., see Leriche, M.A., 249

Duran, E., see Wheelock, M.J., 9

Durieux, P.O., Schütz, P., Brun, R. and Köhler, R.,

Alterations in Krebs cycle enzyme activities and carbohydrate catabolism in two strains of Trypanosoma brucei during in vitro differentiation of their bloodstream to procyclic stages, 19

Edwards, M.R., see Schofield, P.J., 39

Eshete, F. and Bennett, J.L.,

The schistosomicidal compound Ro 15-5458 causes a reduction in the RNA content of Schistosoma mansoni, 1

Facon, B., Chamekh, M., Dissous, C. and Capron, A., Molecular cloning of an Echinococcus granulosus protein expressing an immunogenic epitope of antigen 5, 233

Farias, N.A.R., see Johnston, R.C., 155

Franssen, F.F.J., see de Vries, E., 223

Frasch, A.C.C., see Aslund, L., 345

Frenkel, M.J., see Dopheide, T.A.A., 101

Fung, K. and Clayton, C.

Recognition of a peroxisomal tripeptide entry signal by the glycosomes of Trypanosoma brucei, 261

Gajadhar, A.A., Marquardt, W.C., Hall, R., Gunderson, J., Ariztia-Carmona, E.V. and Sogin, M.L.,

Ribosomal RNA sequences of Sarcocystis muris, Theileria annulata and Crypthecodinium cohnii reveal evolutionary re-

lationships among apicomplexans, dinoflagellates, and ciliates,

Garside, L., see Gibson, W., 77

Gañán, S., see Gotz, G., 265

Gepstein, A., see Zilberstein, D., 175

Gibson, H.L., see Barr, P.J., 159

Gibson, W. and Garside, L.,

Genetic exchange in Trypanosoma brucei brucei: variable chromosomal location of housekeeping genes in different trypanosome

Glaser, T.A., Moody, S.F., Handman, E., Basic, A. and Spithill, T.W.,

An antigenically distinct lipophosphoglycan on amastigotes of Leishmania major, 337

Goman, M., Mons, B. and Scaife, J.,

The complete sequence of a Plasmodium malariae SSUrRNA gene and its comparison to other plasmodial SSUrRNA genes, 281

Gonzales, J.C., see Johnston, R.C., 155 Gotz, G., Gañán, S. and Parodi, A.J.,

Glucosylation of glycoproteins in Crithidia fasciculata, 265

Grady, R.W., see Bienen, E.J., 185 Green, K.M., see Barr, P.J., 159

Gunderson, J., see Gajadhar, A.A., 147

Hackett, F., see Ali, P.O., 215 Hahm, B.K., see Barr, P.J., 159 Hall, R., see Gajadhar, A.A., 147 Hall, S.J., Sims, P.F.G. and Hyde, J.E.,

Functional expression of the dihydrofolate reductase and thymidylate synthetase activities of the human malaria parasite Plasmod-

ium falciparum in Escherichia coli, 317 Handman, E., see Glaser, T.A., 337 Harris, B.G., see Alianotu, P.A., 131 Henriksson, J., see Aslund, L., 345 Hollyer, T., see Ali, P.O., 215 Hopkin, J.M., see Sinclair, K., 183 Huima, T., see Lustigman, S., 65

Hyde, J.E., see Hall, S.J., 317 Inselburg, J., see Barr, P.J., 159

Jaffe, C.L., see Zilberstein, D., 175 Jeffs, S.A., see Ali, P.O., 215 Johnson, K.R., see Wheelock, M.J., 9 Johnson, K.S., see Cougle, W.G., 137

Johnston, R.C., Farias, N.A.R., Gonzales, J.C., Dewes, H., Masuda, A., Termignoni, C., Amako, K. and Ozaki, L.S., A putative RNA virus in Babesia bovis, 155

Kansopon, J., see Barr, P.J., 159

Kemp, D.J., see Marshall, V.M., 349

Klion, A.D., Raghavan, N., Brindley, P.J. and Nutman, T.B., Cloning and characterization of a species-specific repetitive DNA sequence form Loa loa, 297

Kocken, C., see Moelans, I.I.M.D., 193 Komuniecki, R., see Wheelock, M.J., 9 Konings, R.N.H., see Moelans, I.I.M.D., 193

Kranz, P., see Schofield, P.J., 39 Köhler, R., see Durieux, P.O., 19

Ledbetter, J.A., see Parsons, M., 241 Lee-Ng, C.T., see Barr, P.J., 159 Leriche, M.A. and Dubremetz, J.F.,

Characterization of the protein contents of rhoptries and dense granules of Toxoplasma gondii tachyzoites by subcellular fractionation and monoclonal antibodies, 249

Li, W., see Barr, P.J., 159

Lightowlers, M.W., see Cougle, W.G., 137 Lindgren, W.G., see Dame, J.B., 275

Liveanu, V., see Zilberstein, D., 175

LoVerde, P.T., see van Keulen, H., 205

Lockyer, M.J.,

Clonal variation in the Plasmodium falciparum circumsporozoite protein gene (Short communication), 179

Lustigman, S., Brotman, B., Huima, T. and Prince, A.M.,

Characterization of an Onchocerca volvulus cDNA clone enco-

ding a genus specific antigen present in infective larvae and adult worms, 65

MacKenzie, N.E., see Rainey, P.M., 307

Marquardt, W.C., see Gajadhar, A.A., 147

Marshall, V.M., Coppel, R.L., Martin, R.K., Oduola, A.M.J., Anders, R.F. and Kemp, D.J.,

A Plasmodium falciparum MSA-2 gene apparently generated by intragenic recombination between the two allelic families (Short communication), 349

Martin, R.K., see Marshall, V.M., 349

Masuda, A., see Johnston, R.C., 155

Meade, J.C., Coombs, G.H., Mottram, J.C., Steele, P.E. and Stringer,

Conservation of cation-transporting ATPase genes in Leishmania,

McGraw, R.A., see Su, X., 331

Meadows, H.M., see Ali, P.O., 215

Meis, J.F.G.M., see Moelans, I.I.M.D., 193

Mertz, P.M., see van Keulen, H., 205

Meza, I., see Torres-Guerrero, H., 121

Mikkelsen, R.B., see Read, L.K., 109

Min, X., see Dissanayake, S., 49

Moelans, I.I.M.D., Meis, J.F.G.M., Kocken, C., Konings, R.N.H. and Schoenmakers, J.G.G.,

A novel protein antigen of the malaria parasite Plasmodium falciparum, located on the surface of gametes and sporozoites, 193

Mons, B., see Goman, M., 281 Moody, S.F., see Glaser, T.A., 337

Mottram, J.C., see Meade, J.C., 29

Nutman, T.B., see Klion, A.D., 297

Oduola, A.M.J., see Marshall, V.M., 349 Opperdoes, F.R., see Ter Kuile, B.H., 171

Overdulve, J.P., see de Vries, E., 223

Owen, C.A., see Ali, P.O., 215

Ozaki, L.S., see Johnston, R.C., 155

Parodi, A.J., see Gotz, G., 265

Parsons, M., Valentine, M., Deans, J., Schieven, G.L. and Ledbetter, J.A.,

Distinct patterns of tyrosine phosphorylation during the life cycle of Trypanosoma brucei, 241

Peattie, D.A., see Torres-Guerrero, H., 121

Pettersson, U., see Aslund, L., 345

Phillips, C., see Dopheide, T.A.A., 101

Piessens, W.F., see Dissanayake, S., 49

Pollakis, G., see Bienen, E.J., 185

Prestwood, A.K., see Su, X., 331

Prince, A.M., see Lustigman, S., 65

Raghavan, N., see Klion, A.D., 297

Rainey, P.M. and MacKenzie, N.E.,

A carbon-13 nuclear magnetic resonance analysis of the products of glucose metabolism in Leishmania pifanoi amastigotes and promastigotes, 307

Rajan, T.V., see Caulagi, V.R., 57

Read, L.K. and Mikkelsen, R.B.,

Plasmodium falciparum-infected erythrocytes contain an adenylate cyclase with properties which differ from those of the host enzvme, 109

Rekosh, D.M., see van Keulen, H., 205

Rickard, M.D., see Cougle, W.G., 137

Sacks, D.L., see Turco, S.J., 91

Saric, M., see Bienen, E.J., 185

Scaife, J., see Goman, M., 281

Schieven, G.L., see Parsons, M., 241

Schoenmakers, J.G.G., see Moelans, I.I.M.D., 193

Schofield, P.J., Edwards, M.R. and Kranz, P.,

Glucose metabolism in Giardia intestinalis, 39

Schütz, P., see Durieux, P.O., 19

Shi, H., see van Keulen, H., 205

Simpson, A.J.G., see Ali, P.O., 215

Sims, P.F.G., see Hall, S.J., 317

Sinclair, K., Wakefield, A.E., Banerji, S. and Hopkin, J.M.,

Pneumocystis carinii organisms derived from rat and human hosts are genetically distinct (Short communication), 183

Smithers, S.R., see Ali, P.O., 215

Sogin, M.L., see Gajadhar, A.A., 147

Spithill, T.W., see Glaser, T.A., 337

Srinivasan, N.G., see Ahanotu, P.A., 131

Stam, J.G., see de Vries, E., 223

Steele, P.E., see Meade, J.C., 29

Stringer, J.R., see Meade, J.C., 29

Su, X., Prestwood, A.K. and McGraw, R.A.,

Cloning and expression of complementary DNA encoding an antigen of Trichinella spiralis, 331

Tachedjian, M., see Dopheide, T.A.A., 101

Ter Kuile, B.H. and Opperdoes, F.R.,

Chemostat cultures of Leishmania donovani promastigotes and Trypanosoma brucei procyclic trypomastigotes (Short communication), 171

Termignoni, C., see Johnston, R.C., 155

Torres-Guerrero, H., Peattie, D.A. and Meza. I.,

Chromatin organization in Entamoeba histolytica, 121

Turco, S.J. and Sacks, D.L.,

Expression of a stage-specific lipophosphoglycan in Leishmania major amastigotes, 91

Valentine, M., see Parsons, M., 241

Van der Vliet, P.C., see de Vries, E., 223

Van Keulen, H., Mertz, P.M., LoVerde, P.T., Shi, H. and Rekosh, D.M.

Characterization of a 54-nucleotide gap region in the 28S rRNA gene of Schistosoma mansoni, 205

Wagland, B.M., see Dopheide, T.A.A., 101

Wakefield, A.E., see Sinclair, K., 183

Walter, R.D., see Albrecht, S., 289

Ward, C.W., see Dopheide, T.A.A., 101

Werner, C., see Caulagi, V.R., 57

Wheelock, M.J., Komuniecki, R., Duran, E. and Johnson, K.R.,

Characterization of cDNA clones for the beta subunit of pyruvate dehydrogenase from Ascaris suum, 9

Yowell, C.A., see Dame, J.B., 275

Zilberstein, D., Blumenfeld, N., Liveanu, V., Gepstein, A. and Jaffe,

Growth at acidic pH induces amastigote stage-specific protein in

Leishmania promastigotes (Short communication), 175

Subject index

Aberrant translation initiation, 317

Ascaris suum, 9

Acetate, 39

cis-Aconitate, 19

Actin mRNA, 1 Adenylate cyclase, 109

Alanine, 39

Alternative oxidase, 185

Amastigote, 91, 307, 337

cAMP, 109

Antigen, 233, 249, 337

Aphidicolin, 223 Apicomplexa, 147

Ascaris suum, 131, 289

Babesia bigemina, 155

Babesia bovis, 155

Brugia malayi, 57

13C-NMR, 307

Caenorhabditis elegans, 57

Carbon balance, 19

Cation transporting ATPase gene, 29

Chemiluminescent label, 49

Chemostat, 171

Chromatin, 121 Chromosome, 77

Circumsporozoite protein gene, 179

Collagen gene, 57

Crypthecodinium cohnii, 147

Cyanide-resistant respiration, 185

Dense granule, 249

Developmental regulation, 337

Diagnosis, 233

Diagnostic probe, 281

Difluoromethylornithine, 241

Digestion, 131

Dihydrofolate reductase-thymidylate synthetase, 317

DNA polymerase, 223

DNA probe, 49

DNA sequence, 137

DNA sequencing, 331

Dinoflagellata, 147

cDNA, 137, 215

cDNA cloning, 331

rDNA, 205 Drug effects, 1

Echinococcus granulosus, 233 Entamoeba histolytica, 121 Entry signal, 261 Environmental pH, 175 Escherichia coli, 317 Ethanol, 39 Excretory-secretory, 101

Filariasis, 49, 57, 297 Fraction II, 137

Gap sequence, 205
Gene expression, 29, 331
Gene, 233
Genetic exchange, 77
Giardia intestinalis, 39
Glucose metabolism, 39, 307
Glycoconjugate, 91
Glycoprotein, 265
Glycosome, 261

Helminth, 275 Heterologous expression, 317 Host protection, 101 Hydatidosis, 233 Hypobiosis, 275

Immunodiagnosis, 65 Immunoelectron microscopy, 65 Integral membrane glycoprotein, 215

Kinetoplast DNA, 77

LSD binding, 289 Leishmania, 29, 91, 337 Leishmania ATPase locus, 29 Leishmania development, 175 Leishmania afonovani, 171, 175 Leishmania pifanoi, 307 Lipophosphoglycan, 91, 337 Loa loa, 297

Macrogamete membrane protein, 193
Malaria vaccine, 159
Malaria vaccine candidate, 193
Malaria, 179, 223
Mitochondria, 185
Molecular cloning, 9
Monoclonal antibody, 249
Muramyl peptide adjuvant, 159

Nematode, 57, 275 Neuroleptics, 289 Neurotransmitting, 289 Nuclear proteins, 121

Onchocerca volvulus, 65, 289

Oncosphere antigen, 137 Oxidative phosphorylation, 185

P49 antigen, 331
Phosphofructokinase, 131
Plasmodium falciparum, 109, 159, 179, 223, 317
Plasmodium berghei, 223
Plasmodium malariae, 281
Polyadenylation, 137
Polymerase chain reaction, 49, 331
Procyclic trypomastigote, 171
Promastigote, 171, 175, 307
Protein tyrosine kinase, 241
Protozoan virus, 155
Pyruvate dehydrogenase complex, 9

Receptor, 289
Recombinant antigen, 65
Reduction in RNA content, 1
Repetitive DNA, 297
Rhodamine 123, 185
Rhoptry, 249
Ribosomal RNA, 147
Ribosomal DNA, 275
RNA, 5.85, 281
Ro 15-5458, 1
rRNA, 285, 205

SERA, 159
SSURNA, 281
Sarcocystis muris, 147
Schistosoma mansoni, 1, 205, 215
Sequence, 215
Species specificity, 49
Sporozoite surface protein, 193
Stage regulation, 241
Stage-specific expression, 193
Subcellular organelle, 249
Subcellular fractionation, 249

Taenia taeniaeformis, 137
Tegumental antigen, 215
Theileria annulata, 147
Toxoplasma gondii, 249
Transformation, 19
Transient glucosylation, 265
Tricarboxylic acid cycle, 19
Trichinella spiralis, 331
Trichostrongylus colubriformis, 101
Trypanosoma brucei brucei, 19
Trypanosome, 29, 77, 185, 241
Trypanosoma brucei, 77, 171, 261
Trypanosomatid, 265
Trypsin, 131
Tyrosine phosphatase, 241

Virus-like particle, 155

Wuchereria bancrofti, 49

